





Abas
114




LF210 HL

Minos 79



LF236 HL

Minos 99



LF238 HL

Type nr.		Xicato LED	
Photometric		Beam angle	
Type	code	Data	
LF210 HL	XA30	41°	X-02
	XB30	56°	

Type nr.		Xicato LED	
Photometric		Beam angle	
Type	code	Data	
LF236 HL	XA30	41°	X-02
	XB30	56°	

Type nr.		Xicato LED	
Photometric		Beam angle	
Type	code	Data	
LF238 HL	XE30	21°	X-14
	XF30	40°	
	XG30	59°	

DATA Matrix

Code	mA	Lm	Lm/W	Vf	W	K	CRI
X-02	350	720	129	17,6	5,6	3000	85
	500	965	119	18,0	8,1	3000	85
	700	1300	111	18,4	11,7	3000	85
X-14	500	1585	120	29,3	13,2	3000	85
	700	2100	111	29,8	18,9	3000	85

Drivers pag. 86-89

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL



Abas | Minos


UK Ledfixx fixtures made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

NL Ledfixx armaturen uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

D Ledfixx leuchten aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.




Latinus
159




LF234 HL

Faunus
149



LF232 HL

Faunus
99



LF230 HL

Type nr.		Citizen LED	
Photometric		Beam angle	
Type	code	Data	
LF234 HL	XX00	114°	X-02

Type nr.		Citizen LED	
Photometric		Beam angle	
Type	code	Data	
	XC30	41°	
LF232 HL	XD30	56°	X-03

Type nr.		Citizen LED	
Photometric		Beam angle	
Type	code	Data	
	C4130	20°	
LF230 HL	C4130	32°	X-01
	C4130	43°	

Faunus | Latinus

UK Ledfixx fixtures made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

NL Ledfixx armaturen uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

D Ledfixx leuchten aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.

Design: Egbert Keen

Drivers pag. 86-89

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL




DATA Matrix

Code	mA	Lm	Lm/W	Vf	W	K	CRI
C-01	500	524	110	9,5	4,7	3000	85
	350	720	129	17,6	5,6	3000	85
	500	965	119	18,0	8,1	3000	85
X-02	700	1300	111	18,4	11,7	3000	85
	350	1105	119	29,3	9,3	3000	85
X-03	500	1490	110	30,0	13,6	3000	85
	700	2000	103	30,7	19,5	3000	85




Bellona 198




LF228 HL.01

Bellona 198




LF228 HL.00

Rhesus 104




LF243 HL.01

Rhesus 104



LF243 HL.02

Rhesus 104



LF245 HL.04



Type nr.		Citizen LED	
Photometric		Beam angle	
Type	code		Data
LF228 HL.00	C9630	114°	C-01
LF228 HL.01			

Bellona | Rhesus

UK Methusalem fixtures made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

NL Methusalem armaturen uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

D Ledfixx leuchten aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.

Design: Egbert Keen

Drivers

pag. 86-89

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL



DATA Matrix

Code	mA	Lm	Lm/W	Vf	W	K	CRI
C-01	500	524	110	9,5	4,7	3000	85
X-02	350	720	129	17,6	5,6	3000	85
	500	965	119	18,0	8,1	3000	85
	700	1300	111	18,4	11,7	3000	85

Type nr.		Xicato LED	
Photometric		Beam angle	
Type	code		Data
LF243 HL	XX00	114°	X-02
LF245 HL			