


Rhesus 159



# Rhesus

**UK** Methusalem fixtures of the Rhesus series, made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

**NL** Methusalem armaturen type Rhesus uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

**D** Methusalem leuchten type Rhesus aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.

Design: Egbert Keen

Rhesus 159




M244 RF




M244 DK

## Drivers pag. 58-61

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL



M244 RF  
ø 187 mm H 96-148 mm



M244 DK  
ø 243 mm H 130 mm

Type nr.		Citizen LED	
Photometric		Beam angle	
Type	code		Data
M244 RF M244 DK	C0730	21°	C-07
	C0830	36°	
	C0930	56°	
	C1030	73°	
		Xicato LED	
code	angle	Data	
XH 30	21°	X-07	
XJ 30	40°		
XK 30	59°		

Methusalem


## DATA Matrix

Code	mA	Lm	Lm/W	Vf	W	K	CRI
C-09	700	3395	141	34,5	24,1	3000	85
	900	4281	135	35,1	31,6	3000	85
	1050	4924	132	35,6	37,4	3000	85
	1200	5548	128	36,1	43,3	3000	85
	1400	6350	124	36,6	51,3	3000	85
	X-09	500	2030	130	31,2	15,6	3000
700		2700	121	31,9	22,3	3000	85
1050		3850	113	32,5	34,1	3000	85
1400		5000	107	33,5	46,8	3000	85

Code	mA	Lm	Lm/W	Vf	W	K	CRI
C-07	500	2474	146	33,8	16,9	3000	85
	700	3395	141	34,5	24,1	3000	85
	900	4281	135	35,1	31,6	3000	85
	1050	4924	132	35,6	37,4	3000	85
	X-07	500	2030	130	31,2	15,6	3000
700		2700	121	31,9	22,3	3000	85
1050		3850	113	32,5	34,1	3000	85



M244 OS




M244 OS

Type nr.	Citizen LED		
Photometric		Beam angle	
Type	code		Data
M244 OS	C1930	17°	C-09
	C2030	25°	
	C2130	50°	
	C9430	114°	
	Xicato LED		
code	angle	Data	
XO 30	25°	X-09	
XP 30	41°		
XR 30	51°		




### Rhesus 159



M244 HL

Type nr.		Citizen LED	
Photometric		Beam angle	
Type	code		Data
M244 HL	C1930	17°	C-09
	C2030	25°	
	C2130	50°	
	C9430	114°	
Xicato LED			
	code	angle	Data
	XO 30	25°	X-09
	XP 30	41°	
	XR 30	51°	

### Rhesus 104



M242 HL

Type nr.		Citizen LED	
Photometric		Beam angle	
Type	code		Data
M242 HL	C0730	21°	C-07
	C0830	36°	
	C0930	56°	
	C1030	73°	
Xicato LED			
	code	angle	Data
	XH 30	21°	X-07
	XJ 30	40°	
	XK 30	59°	



### DATA Matrix

Code	mA	Lm	Lm/W	Vf	W	K	CRI
C-07	500	2474	146	33,8	16,9	3000	85
	700	3395	141	34,5	24,1	3000	85
	900	4281	135	35,1	31,6	3000	85
	1050	4924	132	35,6	37,4	3000	85
X-07	500	2030	130	31,2	15,6	3000	85
	700	2700	121	31,9	22,3	3000	85
	1050	3850	113	32,5	34,1	3000	85

Code	mA	Lm	Lm/W	Vf	W	K	CRI
C-09	700	3395	141	34,5	24,1	3000	85
	900	4281	135	35,1	31,6	3000	85
	1050	4924	132	35,6	37,4	3000	85
	1200	5548	128	36,1	43,3	3000	85
	1400	6350	124	36,6	51,3	3000	85
X-09	500	2030	130	31,2	15,6	3000	85
	700	2700	121	31,9	22,3	3000	85
	1050	3850	113	32,5	34,1	3000	85
	1400	5000	107	33,5	46,8	3000	85

### Drivers pag. 58-61

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL

Methusalem

## Rhesus

**UK** Methusalem fixtures of the Rhesus series, made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

**NL** Methusalem armaturen type Rhesus uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

**D** Methusalem leuchten type Rhesus aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.



M243 HL.01.0500 Ø 150 H 2000

M243 HL.02.0500 Ø 247 H 2000



# Rhesus

**UK** Methusalem fixtures of the Rhesus series, made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

**NL** Methusalem armaturen type Rhesus uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

**D** Methusalem leuchten type Rhesus aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.


Design: Egbert Keen

## Driver inside

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL


Methusalem

### Rhesus 104



M243 HL 02.C1000

### Rhesus 104



M243 HL 01.C1000

Lm	mA	Beam Angle	W	K	CRI
2450	500	114°	17	3000	85

Lm	mA	Beam Angle	W	K	CRI
2450	500	114°	17	3000	85



M243 WL.01.500 Ø 150 H 350 ↔ 350



M243 HL.03.0500 Ø 330 H 2000

M243 HL.04.0500 Ø 330 H 2000

keen  
Lichtdesign

## Driver inside

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL

Methusalem

Lm	mA	Beam Angle	W	K	CRI
2450	500	114°	17	3000	85

## Rhesus

**UK** Methusalem fixtures of the Rhesus series, made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

**NL** Methusalem armaturen type Rhesus uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

**D** Methusalem leuchten type Rhesus aus alu. Design-kühlkörper mit CLT label. Dadurch wird der Lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.

Design: Egbert Keen




### Rhesus 104



M245 HL 03.C1000

### Rhesus 104



M245 HL 04.C1000



45





M245 WL.02.C1000 Ø 330 H 430 ↔ 370

keen  
Lichtdesign



Lm	mA	Beam Angle	W	K	CRI
2450	500	114°	17	3000	85


## Rhesus

**UK** Methusalem fixtures of the Rhesus series, made of aluminum, have the CLT label that guarantees the luminous flux, light color and lifespan.

**NL** Methusalem armaturen type Rhesus uit aluminium, voorzien van het CLT label dat garant staat voor behoud van lichtstroom, lichtkleur en levensduur.

**D** Methusalem leuchten type Rhesus aus alu. Design-kühlkörper mit CLT label. Dadurch wird der lichtstrom, Lichtfarbe, und die Lebensdauer garantiert.

Design: Egbert Keen



M245 VL.01.500 Ø 330 H 1850

## Driver inside

RAL 9018	
RAL 6034	
RAL 7037	
Special	RAL

Methusalem